

OHLANDT, GREELEY, RUGGIERO & PERLE, LLP

ATTORNEYS AT LAW

10th FloorONE LANDMARK SQUARE
STAMFORD, CONNECTICUT
U.S.A. 06901Telephone (203)327-4500
Facsimile (203)327-6401**Facsimile Cover Sheet**

Attention: Examiner Ben Wang

Department: 2192

Company Name: USPTO

Date: 1/28/09

Facsimile Equipment Phone Number: (571)270-2240

Pages: 6 (including cover sheet)

Docket No.: H0004983US

(287.7927USU)

From: Paul D. Greeley, Esq.

Applicant: Jeffrey B. Scott

Serial No.: 10/729,767

For: Determination of the status of an object in a source control system and a method ...

Filed: December 8, 2003

Examiner: Wang, Jue S.

Art Unit: 2192

Confirmation No.: 3406

Dear Examiner Wang: Please find attached hereto the revised claims per your discussion with Applicant's representative.

Respectfully submitted,

Paul D. Greeley, Esq.

Reg. No. 31,019

NOTICE OF CONFIDENTIALITY

The information contained in and transmitted with this facsimile is:

1. SUBJECT TO THE ATTORNEY-CLIENT-PRIVILEGE;
2. ATTORNEY WORK PRODUCT; OR
3. CONFIDENTIAL.

It is intended only for the individual or entity designated above. You are hereby notified that any dissemination, distribution, copying, or use of or reliance upon the information contained in and transmitted with this facsimile by or to anyone other than the recipient designated above by the sender is *unauthorized* and *strictly prohibited*. If you have received this facsimile in error, please notify Ohlandt, Greeley, Ruggiero & Perle, LLP by telephone at (203)327-4500 immediately. Any facsimile erroneously transmitted to you should be immediately returned to the sender by U.S. Mail, or if authorization is granted by the sender, destroyed.

To Confirm Transmission Please Call (203)327-4500

U.S. Serial No. 10/729,767

1. (Currently amended) A source control system for a process control system, comprising:
 - a processor in a process control system;
 - a database accessible by said processor to store information associated with an object under source control to be checked-out; and
 - a check-out function operable on said processor (a) to check-out said object, wherein said object being checked out is a user defined template (UDT) that is derived from a preconfigured block type object and that inherits pre-defined parameters from said pre-defined block object, wherein any existing dependent objects are children (UDTs) of said object being checked out or instances of said object being checked out, wherein said instances are objects that inherit block type objects and parameters of said UDT or of said children UDTs, and wherein said stored information includes a reference to an existing parent object, (b) to propagate changes made to said object to any of said existing dependent objects, when said object is saved, (c) to use said information to determine whether any of said dependent objects exist and whether at least one parent object exists, and (d) to automatically check-out said existing dependent objects, wherein said stored information includes a reference to said existing parent object, wherein said object being checked out is a user defined template that is derived from a preconfigured object, and wherein said existing dependent objects are children user defined templates of said object being checked out or instances of said object being checked out or of said children user defined templates.
2. (Currently amended) The system according to claim 1, wherein said changes are further propagated comprising:
 - a propagation function operable on said processor to propagate changes made to said object being checked out to said existing dependent objects and to said existing parent object, when said object being checked out is saved.
3. (Canceled)

U.S. Serial No. 10/729,767

4. (Currently amended) The system according to claim 1, wherein said stored information is at least one selected from the group consisting of: a name, a version number, a type and a status, and wherein said stored information is further used by said processor to prevent unauthorized changes to dependent objects under control of said source control system.

5. (Currently amended) A method of automatic check-out for a source control system in a process control system, comprising:

storing information associated with an object under source control to be checked-out;

receiving a request from a user to check-out said object;

determining whether any dependent objects of said object being checked out exist and whether any parent objects exist based on said information, wherein said object being checked out is a user defined template (UDT) that is derived from a preconfigured block type object and that inherits pre-defined parameters from said pre-defined block object, wherein any existing dependent objects are children (UDTs) of said object being checked out or instances of said object being checked out, wherein said instances are objects that inherit block type objects and parameters of said UDT or of said children UDTs, and wherein said stored information includes a reference to said existing parent objects;

propagating changes made to said object to any of said existing dependant objects, when said object is saved;

automatically checking-out said existing dependent objects when said object is checked-out, wherein said object being checked out is a user defined template that is derived from a preconfigured object, and wherein said existing dependent objects are children user defined templates of said object being checked out or instances of said object being checked out or of said children user defined templates; and

providing a status to said user.

U.S. Serial No. 10/729,767

6. (Previously presented) The method according to claim 5, further comprising:

sorting said existing dependent objects so that said existing parents precede children.

7. (Previously presented) The method according to claim 5, wherein one of said existing dependent objects is a derivation child of said object being checked out.

8. (Original) The method according to claim 7, further comprising:

automatically checking-out said derivation child only if said derivation child is checked-in.

9-15. (Canceled)

16. (Currently amended) A computer readable medium having executable instructions stored thereon to perform a method of version control for a process control system, said method comprising:

when checking-in an object, wherein said checked-in object is a user defined template (UDT) that is derived from a preconfigured block type object and that inherits pre-defined parameters from said pre-defined block object, determining relationships of said object by:

determining whether said object being checked-in has a first derivation parent;

adding a name and a version of said first derivation parent to a list of object relationships, if said object being checked-in has said first derivation parent, wherein said first derivation parent is a first parent UDT of said object being checked-in of a first instance of said object being checked-in, wherein said first instance is an object that inherits block type objects and parameters of said UDT, or of said first parent UDT;

U.S. Serial No. 10/729,767

if said object being checked-in does not have said first derivation parent, determining for-if each contained object, which that is contained in said object being checked-in, whether said contained object has a second derivation parent, if said object being checked-in does not have said first derivation parent;

adding a name and a version of said second derivation parent to said list of object relationships, if said contained object being checked-in has said second derivation parent; and

providing said list of object relationships.

17. (Currently amended) A computer readable medium having executable instructions stored thereon to perform a method of automatic check-out for a source control system in a process control system, said method comprising

storing information associated with an object under source control to be checked-out;

receiving a request from a user to check-out said object;

determining whether any dependent objects of said object being checked-out exist and whether at least one parent object of said object exists based on said information, wherein said object being checked out is a user defined template (UDT) that is derived from a preconfigured block type object and that inherits pre-defined parameters from said pre-defined block object, wherein any existing dependent objects are children (UDTs) of said object being checked out or instances of said object being checked out, wherein said instances are objects that inherit block type objects and parameters of said UDT or of said children UDTs, and wherein said stored information includes a reference to said existing parent object;

propagating changes made to said object to any of said existing dependant objects, when said object is saved;

automatically checking-out said existing dependent objects when said object being checked-out is checked-out, wherein said object being checked-out is a user defined template, and wherein said existing dependent objects are

U.S. Serial No. 10/729,767

~~children user defined templates of said object being checked out or instances of said object being checked out or of said children user defined templates; and providing a status to said user.~~